



1

学習目標



1. データベース検索のチャレンジ
2. Ovid検索ビルダー
 - アクセス
 - キーワード検索
 - 統制索引語マッピング
 - 同義語の追加
 - 検索内容の組み合わせ
 - 絞り込み項目
 - 検索結果表示
 - オートアラート設定
 - ご所属機関設定
3. Live Demo

Wolters Kluwer

Ovid活用法 検索ビルダーとマルチファイル検索

2

データベース検索のチャレンジ



基本検索 | 書誌事項一括検索 | 検索ツール | フィールド指定検索 | **上級検索** | マルチフィールド検索

選択された1情報源 | 戻る | 変更する

① Embase 1974 to 2020 September 21

キーワードまたはフレーズ (トランケーションには * または \$) を入力してください

☒ キーワード ☐ 著者 ☐ タイトル ☐ ジャーナル

risperidone

検索

☒ 絞り込み (クリックして折りたたむ) ☐ マルチメディアを含める ☒ 入力した語句を統制索引語にマッピングします

☐ Full Text ☐ Latest Update ☐ Abstracts
☐ Human ☐ Cochrane Library ☐ English Language
☐ No Language Specified ☐ Local Holdings ☐ COVID-19

Publication Year - -

Embase Status

-
Article-in-Press Status
Conference Abstract Status
Embase Status
In-Process Status

NLM Status

-
In-Data-Review
In-Process
PubMed-not-MEDLINE
PubMed/MEDLINE
Publisher

絞り込み条件 - 詳細

絞り込み条件の編集



Ovid活用法 検索ビルダーとマルチファイル検索

3

データベース検索のチャレンジ



Ovid®

マイアカウント

管理ツール

JB1 管理

Ask Ovid®

Ovid® Search Builder

ヘルプ

フィードバック

ログオフ

検索 | ジャーナル | ブック | マルチメディア | マイワークスペース | リンク | EBP ツール | What's New

次の統制索引語 (複数) にマッピングされた語句:

thesaurus 内の、上位および下位の語句を表示するには、当該統制索引語をクリックします。

Term is a thesaurus term

☐ すべてのサブヘディングを含める

選択項目と組み合わせる: OR

続行

選択 統制索引語
☒ risperidone
☐ risperidone.mp. フリー キーワードとして検索

エクスポート
☒

フォーカス
☐

スコープ
☒



Ovid活用法 検索ビルダーとマルチファイル検索

4

データベース検索のチャレンジ



Scope Note for: risperidone

MAIN TERM: risperidone

DATE OF ENTRY: 1988

SCOPE NOTE:

Dorland's Definition: Risperdal: trademark for preparations of risperidone.

Dorland's Definition: risperidone: a benzisoxazole derivative used as an antipsychotic agent, administered orally. Its mechanism result from a combination of dopamine and serotonin antagonism.

Definition from Dorland's Medical Dictionary, 32nd edition, copyright 2011 by Elsevier. For more information please go to www.

Term Type: Drug Term

Name Type: MeSH Descriptor

History:

2004 Old BT: neuroleptic agent [Loss of BT relation]
1988 [New preferred term]

Used For:

3 [2 [4 (6 fluoro 1,2 benzisoxazol 3 yl) 1 piperidinyl]ethyl] 6,7,8,9 tetrahydro 2 methyl 4h pyrido[1,2 a]pyrimidin 4 one
3 [2 [4 (6 fluoro 1,2 benzisoxazol 3 yl) 1 piperidinyl]ethyl] 6,7,8,9 tetrahydro 2 methyl 4h pyrido[1,2 a]pyrimidin 4 one
3 [2 [4 (6 fluoro 1,2 benzisoxazol 3 yl) piperidin 1 yl]ethyl] 6,7,8,9 tetrahydro 2 methyl 4h pyrido[1,2 a]pyrimidin 4 one
3 [2 [4 (6 fluoro 1,2 benzisoxazol 3 yl) piperidinyl]ethyl] 6,7,8,9 tetrahydro 2 methyl 4h pyrido[1,2 a]pyrimidin 4 one
belivon [Drug Trade Name]
consta [Drug Trade Name]
dip 114 [Drug Trade Name]
dip114 [Drug Trade Name]
doria [Drug Trade Name]
eperon [Drug Trade Name]
jnj 410397 [Drug Trade Name]
jnj410397 [Drug Trade Name]
ly 03004 [Drug Trade Name]
ly03004 [Drug Trade Name]
neripros
neripros

- はじめに
- 検索
- Ovid 情報源の選択
- 検索モードの選択
- 基本検索
- 書誌事項一括検索
- 検索ツール
- フィールド指定検索
- 上級検索
- 上級検索手法
- マッピング
- マルチフィールド検索
- 検索戦略のリファイン
- 検索結果の管理
- マルチメディア プレーヤーの使用
- フルテキストへのアクセス
- 検索結果の出力
- 検索式とアラートの保存
- ブックおよびジャーナルのブラウズ
- マイ ワークスペースの使用
- Ovid コンテンツを電子メールで送信
- 個人アカウントの管理
- リンク オプション
- MARC レコード
- JB1 EBP ツール
- トラブルシューティング



Ovid活用法 検索ビルダーとマルチファイル検索

5

データベース検索のチャレンジ



Ovid® マイアカウント 管理ツール JBI 管理 Pay Per View アカウント Ask Ovid® ヘルプ フィードバック

検索 ジャーナル ブック マルチメディア マイワークスペース リンク EBP ツール What's New

▼ 検索履歴 (4) 保存された検索式の表示

#	▲ 検索内容	結果	タイプ	操作	注釈
1	exp risperidone/	37008	上級検索	結果を表示 操作	
2	risperidone.mp. [mp=title, abstract, heading word, drug trade name, original title, device manufacturer, drug manufacturer, device trade name, keyword, floating subheading word, candidate term word]	37683	上級検索	結果を表示 操作	
3	2 not 1	675	上級検索	結果を表示 操作	
4	1 or 2	37683	上級検索	結果を表示 操作	

保存 削除 選択項目と組み合わせる: And Or

すべて保存する 編集 RSS作成 保存された検索式の表示



Ovid活用法 検索ビルダーとマルチファイル検索

6

データベース検索のチャレンジ



基本検索 | 書誌事項一括検索 | 検索ツール | フィールド指定検索 | 上級検索 | マルチフィールド検索

選択された1情報源 | 戻す | 変更する

① Embase 1974 to 2020 September 21, ② Ovid MEDLINE(R) ALL 1946 to September 21, 2020, ③ APA PsycInfo 1806 to September Week 2 2020

キーワードまたはフレーズ(トランケーションには * または \$)を入力してください

キーワード ☐ 著者 ☐ タイトル ☐ ジャーナル

検索

絞り込み (クリックして折りたたむ) ☐ マルチメディアを含める

☐ APA PsycArticles Journals ☐ Abstracts ☐ All Journals
☐ Article Reviews (ACP Journal Club) ☐ Article Reviews (DARE) ☐ Cochrane Library
☐ Core Clinical Journals (AIM) ☐ English Language ☐ Evidence Based Medicine Reviews
☐ Full Text ☐ Human ☐ Humans
☐ Impact Statement ☐ Latest Update ☐ Local Holdings
☐ No Language Specified ☐ Open Access ☐ Pharmacologic Actions
☐ Review Articles ☐ Structured Abstracts ☐ Test DOI
☐ Topic Reviews (Cochrane) ☐ COVID-19

Publication Year: - -

Embase Status: Article-In-Press Status, Conference Abstract Status, Embase Status, In-Process Status

NLM Status: In-Data-Review, In-Process, PubMed-not-MEDLINE, PubMed/MEDLINE, Publisher

絞り込み条件 - 詳細 | 絞り込み条件の編集



Ovid活用法 検索ビルダーとマルチファイル検索

7

データベース検索のチャレンジ



Ovid® マイアカウント 管理ツール JBI 管理 Pay Per View アカウント Ask Ovid® ヘルプ フィードバック

ログイン

検索 ジャーナル ブック マルチメディア マイワークスペース リンク EBP ツール What's New

⚠ [APA PsycInfo] - The subject heading 'metformin' is invalid in this database.

▼ 検索履歴 (2) 保存された検索式の表示

#	検索内容	結果	タイプ	操作	注釈
1	exp risperidone/ Embase <1974 to 2020 September 21> Ovid MEDLINE(R) ALL <1946 to September 21, 2020> APA PsycInfo <1806 to September Week 2 2020>	47032 37008 6258 3766	上級検索	結果を表示 その他の操作 ▼	
2	exp metformin/ Embase <1974 to 2020 September 21> Ovid MEDLINE(R) ALL <1946 to September 21, 2020>	78091 64510 13561	上級検索	結果を表示 その他の操作 ▼	

保存 削除 選択項目と組み合わせる: And Or 重複除去

すべて保存する 編集 RSS作成 保存された検索式の表示



Ovid活用法 検索ビルダーとマルチファイル検索

8

Ovid®検索ビルダーの特徴

- キーワードから簡単に
エキスパートサーチの作成
- 自動統制索引語マッピングと 同
義語の纏め
- 専用絞り込み項目のオプション
- どれでものOvid®データベースの
ご利用可能
- マルチファイル検索可能
- エクスパートサーチのオート
アラート作成可能

The screenshot shows the Ovid Search Builder interface. It includes a 'Select at least one database' dropdown, a 'Keyword' input field, and buttons for 'Map Keywords', 'Synonyms', and 'Add/Remove'. Below these are sections for 'Adverse Drug Reactions', 'Adverse Effects - Medical Devices', and 'Adverse Effects - Surgical Interventions'. There are also sections for 'Children', 'Special Situations', 'Elderly', and 'Pregnancy'. A 'Clinical Queries' section lists various query types like 'Reviews', 'Diagnosis', 'Causation-Etiology', 'Clinical Prediction Guides', 'Costs', 'Therapy', 'Prognosis', 'Economics', and 'Qualitative'. At the bottom, there are 'Human Limits' and a 'Launch Search' button.

Wolters Kluwer

Ovid活用法 検索ビルダーとマルチファイル検索

9

Ovid®検索ビルダー: アクセス

The screenshot shows the Ovid website header. The 'Ask Ovid' button is highlighted with a red box and a red arrow. The header includes links for 'マイアカウント', '管理ツール', 'JBI 管理', 'Pay Per View アカウント', 'ヘルプ', 'フィードバック', and 'ログオフ'. Below the header is a navigation bar with links for '検索', 'ジャーナル', 'ブック', 'マルチメディア', 'マイワークスペース', 'リンク', 'EBP ツール', and 'What's New'. A red arrow points from the 'Ask Ovid' button to the '検索' (Search) link.

The screenshot shows the Ovid Search Builder interface. It includes a 'Select at least one database' dropdown menu. The dropdown menu is open, showing a list of databases: 'APA PsycInfo [psyh]', 'Embase [oemезд]', 'Ovid MEDLINE(R) ALL [medall]', and 'Your Journals@Ovid [yrovft]'. There are 'Select All' and 'Deselect All' buttons. To the right of the dropdown is an 'Add/Remove' button with a plus sign.

Wolters Kluwer

Ovid活用法 検索ビルダーとマルチファイル検索

10

キーワード検索



APA PsycInfo [psyh], Embase [oemz], Ovid MEDLINE(R) ALL [medall]

Keyword	Subject Heading Mapping	Synonyms	Add/Remove
atrial fibrillation MP field (wide) Select fields ☐ Title ☐ Abstract ☐ Heading Word ☐ Trade Name ☐ Author Keywords	Map Keyword(s)	Synonyms ☐ Include PubChem ⓘ	+

Wolters Kluwer

Ovid活用法 検索ビルダーとマルチファイル検索

11

統制索引語マッピング



APA PsycInfo [psyh], Embase [oemz], Ovid MEDLINE(R) ALL [medall]

Keyword	Subject Heading Mapping	Synonyms	Add/Remove
atrial fibrillation MP field (wide) Select fields ☐ Title ☐ Abstract ☐ Heading Word ☐ Trade Name ☐ Author Keywords	Map Keyword(s)	Synonyms ☐ Include PubChem ⓘ	+

Mapped terms for atrial fibrillation

	Explode
☒ Fibrillation (Heart) (APA PsycInfo)	☒ Explode
☐ atrial fibrillation (Embase)	☐ Explode
☒ heart atrium fibrillation (Embase)	☒ Explode
☐ human (Embase)	☐ Explode
☐ heart (Embase)	☐ Explode

Wolters Kluwer

Ovid活用法 検索ビルダーとマルチファイル検索

12

同義語の追加

APA PsycInfo [psyh],Embase [oemzd],Ovid MEDLINE(R) ALL [medall]



Keyword	Subject Heading Mapping	Synonyms	Add/Remove
atrial fibrillation MP field (wide) Select fields ☐ Title ☐ Abstract ☐ Heading Word ☐ Trade Name ☐ Author Keywords	Map Keyword(s)	Synonyms ☒ Include PubChem	+

Synonyms for atrial fibrillation

- ☒ Select/Deselect All
- ☒ atrial fibrillation
- ☒ atrial fibrillation, familial
- ☒ atrial fibrillation, paroxysmal
- ☒ atrial fibrillation, persistent
- ☒ atrial fibrillations
- ☒ atrial fibrillations, familial
- ☒ atrial fibrillations, paroxysmal
- ☒ atrial fibrillations, persistent



Ovid活用法 検索ビルダーとマルチファイル検索

13

検索内容の追加・削除

APA PsycInfo [psyh],Embase [oemzd],Ovid MEDLINE(R) ALL [medall]



	Keyword	Subject Heading Mapping	Synonyms	Add/Remove
	atrial fibrillation MP field (wide) Select fields ☐ Title ☐ Abstract ☐ Heading Word ☐ Trade Name ☐ Author Keywords	Map Keyword(s)	☒ Synonyms ☒ Include PubChem	+
AND	warfarin MP field (wide) Select fields ☐ Title ☐ Abstract ☐ Heading Word ☐ Trade Name ☐ Author Keywords	Map Keyword(s)	☐ Synonyms ☐ Include PubChem	+ -
AND	dabigatran MP field (wide) Select fields ☐ Title ☐ Abstract ☐ Heading Word ☐ Trade Name ☐ Author Keywords	Map Keyword(s)	☐ Synonyms ☐ Include PubChem	+ -



Ovid活用法 検索ビルダーとマルチファイル検索

14

絞り込み項目



Adverse Drug Reactions

Adverse Effects - Medical Devices

Adverse Effects -
Surgical Interventions

Off Wide Focused ⓘ

Off On ⓘ

Off On ⓘ

Adverse Drug Reactions - Wide
Filter strategies based on Guidelines provided by the European Medicines Agency.

 on Ovid®

exp adverse drug reaction/ or adverse.ti,ab,kw. or side effect?.ti,ab,kw. or side effect.fs. or exp drug overdose/ or overdos*.ti,ab,kw. or exp drug misuse/ or misus*.ti,ab,kw. or exp drug abuse/ or exp substance abuse/ or abus*.ti,ab,kw. or exp pregnancy/ or pregnan.ti,ab,kw. or exp pregnancy complications/ or exp lactation/ or exp breast feeding/ or (exp milk human/ and exp secretion/) or exp fertility/ or exp infertility/ or exp reproduction/ or exp fetus/ or exp embryo/ or terat*.ti,ab,kw. or exp drug efficacy/ or exp drug withdrawal/ or exp medication error/ or exp death/ or death*.ti,ab,kw. or fatal*.ti,ab,kw. or exp drug interaction/ or exp carcinogenicity/ or carcinogen*.ti,ab,kw. or mutagen*.ti,ab,kw. or exp off label drug use/ or exp occupational exposure/ or exp toxicity/ or toxic*.ti,ab,kw. or pharmacotox*.ti,ab,kw. or neurotox*.ti,ab,kw. or cardiotox*.ti,ab,kw. or nephrotox*.ti,ab,kw. or immunotox*.ti,ab,kw. or hepatotox*.ti,ab,kw. or cytotox*.ti,ab,kw. or immunocytotox*.ti,ab,kw. or exp intoxication/ or exp congenital disorder/ or exp drug treatment failure/ or exp case report/ or case report?.ti,ab,kw. or exp environmental exposure/ or exp treatment contraindication/ or exp drug contraindication/ or exp injury/ or suicid*.ti,ab,kw. or exp poisoning/ or exp drug tolerance/ or exp treatment failure/ or exp drug resistance/ or exp substance-related disorders/ or drug resistance.fs.

 on Ovid®

Wolters Kluwer

Ovid活用法 検索ビルダーとマルチファイル検索

15

絞り込み項目



Special Situations

Children

Elderly

Pregnancy

Off Wide Focused ⓘ

Off Wide Focused ⓘ

Off Wide Focused ⓘ

Elderly - Focused
Filter strategies based on the "Aged" filter from the Dutch Library Association.

 on Ovid®

exp "aged/ or exp "geriatrics/ or exp "elderly care/ or (centarian" or centenarian" or elder" or eldest or frail" or geriatri" or nonagenarian" or octagenarian" or old age" or older adult" or older age" or older female" or older male" or older man or older men or older patient" or older people or older person" or older population or older subject" or older woman or older women or oldest old" or senior" or senium or septuagenarian" or supercentenarian" or very old*).ti,kw.

 on Ovid®

exp "aged/ or exp "geriatrics/ or exp "geriatric nursing/ or (centarian" or centenarian" or elder" or eldest or frail" or geriatri" or nonagenarian" or octagenarian" or octogenarian" or old age" or older adult" or older age" or older female" or older male" or older man or older men or older patient" or older people or older person" or older population or older subject" or older woman or older women or oldest old" or senior" or senium or septuagenarian" or supercentenarian" or very old*).ti,kf.

Wolters Kluwer

Ovid活用法 検索ビルダーとマルチファイル検索

16

絞り込み項目



Clinical Queries

Reviews Off Wide Focussed Balanced ⓘ	Therapy Off Wide Focussed Balanced ⓘ
Diagnosis Off Wide Focussed Balanced ⓘ	Prognosis Off Wide Focussed Balanced ⓘ
Causation-Etiology Off Wide Focussed Balanced ⓘ	Economics Off Wide Focussed Balanced ⓘ
Clinical Prediction Guides Off Wide Focussed Balanced ⓘ	Qualitative Off Wide Focussed Balanced ⓘ
Costs Off Wide Focussed Balanced ⓘ	

17

絞り込み項目



Clinical Queries - Therapy

Limiting to Clinical Queries will restrict retrieval clinically sound studies. The emphasis may be Sensitive (i.e., most relevant articles but probably some less relevant ones), Specific (i.e., mostly relevant articles but probably omitting a few), or Balanced (i.e., the combination of terms that optimizes the trade-off between sensitivity and specificity).

These filters, based on the work of R. Brian Haynes MD, PhD et al. of the Health Information Research Unit (HIRU) at McMaster University, are intended for clinicians. View more detail including references about the Clinical Queries hedges [here](#).

Embase® on Ovid

Therapy - EMBASE		
Filter type	Ovid Filter	Sens / spec / prec / acc (%)
Maximizes sensitivity	random:tw. OR clinical trial:mp. OR exp health care quality	99 / 72 / 14 / 73
Maximizes specificity	double-blind:mp. OR placebo:tw. OR blind:tw.	52 / 97 / 43 / 95
Best balance of sensitivity and specificity	random:tw. OR placebo:mp. OR double-blind:tw.	95 / 93 / 38 / 93

18

オートアラート作成

タイプ 操作 注釈

上級検索 結果を表示 **その他の操作**

保存
編集
オートアラートを作成する
RSS作成
削除

Ovid® マイアカウント 管理ツール JBI 管理 Ask Ovid® ヘルプ フィードバック **編集ログイン: WKH の Borys Diakonov** ログオフ

検索 ジャーナル ブック マルチメディア マイワークスペース リンク EBP ツール What's New

保存検索式名 コメント (オプション) タイプ Auto Alert (SDI) 保存

Auto Alert (SDI)の説明

配信スケジュールオプション 重複除去オプション

☒ データベース更新時[?]

☐ 四半期毎

☐ 毎月 - 次の日: [1]

☐ 隔週 - 曜日: [月曜日]

☐ 毎週 - 曜日: [月曜日]

☒ 重複除去オプション 120 日

Wolters Kluwer

Ovid活用法 検索ビルダーとマルチファイル検索

21

Ovid® 検索ビルダーのフィードバック

Ovid® Ovid Search Builder **Feedback** Video Tutorial

APA PsycInfo [psyh], Embase [oemzd], Ovid MEDLINE(R) ALL [medall]

Keyword	Subject Heading Mapping	Synonyms	Add/Remove
 MP field (wide) Select fields	Map Keyword(s)	Synonyms ☐ Include PubChem	+

Wolters Kluwer

Ovid活用法 検索ビルダーとマルチファイル検索

22

Ovid®検索ビルダー Live Demo



臨床疑問:

What evidence shows that Ginkgo biloba
is an effective treatment of schizophrenia?

学習目標のまとめ



Ovid Search Builder

Select all from one database

Keyword	Subject Heading Mapping	Synonyms	Add/Remove
	Map Keyword(s)	Synonyms	Add/Remove

AP Field (select) Select Fields

Adverse Drug Reactions	Adverse Effects - Medical Devices	Adverse Effects - Surgical Interventions
Off Wide Focused	Off On	Off On

Special Situations		
Children Off Wide Focused	Elderly Off Wide Focused	Pregnancy Off Wide Focused

Clinical Queries	
Reviews Off Wide Focused Balanced	Therapy Off Wide Focused Balanced
Diagnosis Off Wide Focused Balanced	Prognosis Off Wide Focused Balanced
Causation-Etiology Off Wide Focused Balanced	Economics Off Wide Focused Balanced
Clinical Prediction Guides Off Wide Focused Balanced	Qualitative Off Wide Focused Balanced
Costs Off Wide Focused Balanced	

Human Limits

Ovid®検索ビルダーのサポート



➡ support@ovid.com



Ovid活用法 検索ビルダーとマルチファイル検索

25



26